


sensilis

Sensitive
Skin Lab



10d Recovery kit*

Post Aesthetic Medical Treatment

Reduces redness and decreases downtime post Aesthetic Medical Treatment

*With 5 Growth Factors & CM-Naringenin Chalcone®


10D RECOVERY KIT

A



Untreated skin tissue.

B



Ablative fractional laser:

Laser microbeam vaporizes a thin column of tissue, and also leaves behind a zone of thermal damage in the adjacent tissue (depicted in purple).


C



Non-ablative fractional laser:

Tissue is heated and denatured in a fractional pattern.


D



Microneedling :

Piercing injury made by small needles, no tissue is removed.

E



Radiofrequency microneedling:

In addition to piercing injury, radiofrequency heating is used to cause thermal damage in the surrounding tissue.

F



Fractional tissue harvesting:

Small harvesting needles are used to extract tissue, causing tissue loss without thermal damage.

REDUCES DOWNTIME / SOOTHES/ REGENERATES

ORIGIN PRO [Ampoules]

REGENERATES

- 5 Growth factors (EGF, acidic FGF, basic FGF, IGF, VEGF)

UPGRADE [AR]

SOOTHES

- CM-Naringenin Chalcone®
- Ginkgo biloba

PROTECTS

- Pentapeptide-31
- Pentapeptide-28

ANTI-POLLUTION

- Biosaccharide GUM-4
- Plant stem cell extract

HIDRATES

- Hyaluronic Acid
- Panthenol

REPAIRS

- Shea butter

PROAGING

- Soy extract
- Red rice extract
- Oat polysaccharides



CLINICAL STUDIES

IN CLINIC. POST-PROCEDURE


30 min

Apply 1/2 an ampoule of ORIGIN PRO to the treated area. Once absorbed, apply a thick layer of UPGRADE [AR] with a spatula. Leave to work for 5-10 minutes¹.

CLINICAL RESULTS vs T₀

-8,6% REDNESS¹
+78% HYDRATION¹
-17,1% TEWL¹
vs. patients treated with the control cream

CLINICAL CASE Nonablative fractional laser



Photographs by Dr Alicia Barreiro

HEMOCARE


2 days

Apply 1/2 an ampoule of ORIGIN PRO in the morning after cleansing. Once absorbed, apply UPGRADE [AR] morning and night².

CLINICAL RESULTS vs T₀

-13,9% REDNESS²
+34,8% HYDRATION²
-28,5% TEWL²
vs. patients treated with the control cream

CLINICAL RESULTS Morpheus



Photographs by Dr Natalie Díaz

CLINICAL RESULTS IPL and Nonablative fractional laser



Photographs by Dr Alicia Barreiro

HEMOCARE

10 days

Apply 1/2 an ampoule of ORIGIN PRO in the morning after cleansing. Once absorbed, apply UPGRADE [CREAM] morning and night².

CLINICAL RESULTS vs T₀

-8,0% REDNESS²
*In patients with the control cream the redness increased by +2.1%.
+11,6% HYDRATION²
-12,1% TEWL²
vs. patients treated with the control cream

CLINICAL RESULTS Erbium glass laser



Photographs by Dr Silvana Parra

CLINICAL RESULTS Láser Er:YAG



10D RECOVERY KIT PROTOCOL POST-MEDICAL/COSMETIC PROCEDURES

AGING

IPL, Radiofrequency with Microneedling, Nonablative Laser and Ablative Laser

01 | Hygiene



CALM IN BALM + GENTLE
CLEANSING MOUSSE

02 | Soothes and Restores



10D RECOVERY KIT

03 | Protection



PHOTOCORRECTION
[HA 50+]

ROSACEA

Vascular Laser and IPL

01 | Hygiene



CALM IN BALM + GENTLE
CLEANSING MOUSSE

02 | Soothes and Restores



10D RECOVERY KIT

03 | Protection



PHOTOCORRECTION
[AR 50+]

BLEMISHES

Microneedling and Chemical Peel

01 | Hygiene



CALM IN BALM + GENTLE
CLEANSING MOUSSE

02 | Soothes and Restores



10D RECOVERY KIT

03 | Protection



PHOTOCORRECTION
[PURE AGE PERFECTION 50+]

1. Study conducted on 20 volunteers (10 with 10d Recovery Kit and 10 with a standard cream), results obtained 30 minutes after the medical procedure and use of the product using Corneometer®, Tewameter 300®, Mexameter 18®. 2. Study conducted on 20 volunteers (10 using the 10d Recovery Kit and 10 using a standard cream), results obtained after 2 and 10 days of using the product following the medical procedure using Corneometer®, Tewameter 300®, Mexameter 18®.